



Video QuickScan



BENELUX

Q4 10-2024



Information

This brochure contains our overview of frequently used CCTV products-and compositions from our complete range of products (previous versions expire with this release).





You can download our free software programs and service tools from our website:

<https://nl.firesecurityproducts.com/nl/products/video/video-software>


or via Google Play / App store:



Software / service tools

	<p>TVRMobile/Advisor App</p> <p>App for smartphone or tablet, available for Android and iOS via Google Play or App Store. This app allows direct access to multiple DVR/NVRs or IP cameras. Live and playback of images, as well as switching of output contacts are standard features.</p>
	<p>TruVision Navigator</p> <p>This free VMS software can be used to directly access, control and manage multiple DVR/NVRs and IP cameras from a distance. Using graphical floor plans and multiple Views, it is possible to create an image layout of your choice. Search and archiving of images are standard features. TruVision Navigator has a handy Device Manager with very useful tools such as, for example, the Storage Calculator.</p>
	<p>TruVision Storage Calculator</p> <p>With this software - that is integrated into TruVision Navigator's Device Manager - it is possible to determine how large the HDD capacity should be. By entering, among other things, recording resolution/speed and percentage movement per day, you can accurately determine the HDD capacity over a certain period of time. This calculator can also be used to calculate bandwidth in the network.</p>
	<p>TruVision Device Manager</p> <p>Software service tool for DVR/NVRs and IP cameras. With this software you can see the IP addresses instantly and adjust them if necessary. The firmware version is immediately visible. It is also possible to update multiple products at the same time.</p>
	<p>UltraSync empowered</p> <p>With the introduction of the new TVN-12 recorders, UltraSync also makes its appearance within our video platform. With the arrival of the TVN-12 and new future TruVision recorders, Port-Forwarding will become a thing of the past.</p>

Commercial documentation

	<p>Selection Guide</p> <p>For proper mounting accessories, visit our website nl.firesecurityproducts.com or be.firesecurityproducts.com and download the "Selection Guide" listed under downloads for each camera model (Camera mounts tool).</p>
--	--

Please note that some products are not recommended and sold in the EU.


Table of contents

What matters to us	4
TruVision Software	5
Aritech VMS solutions	6
IP Network video solutions	8
TruVision IP M-Series Wedge Cameras	8
TruVision IP M-Series Dome Cameras	9
TruVision IP Turret M-Series Cameras	10
TruVision IP M-Series Bullet Cameras	11
TruVision IP Full Color M-Series Cameras	12
IP Network video solutions	13
TruVision IP Dome & Bullet P-Series Cameras	13
TruVision IP Thermal & Bispectral Cameras	14
TruVision IP Thermal camera	15
TruVision Wi-Fi cameras	15
TruVision IP 360° Cameras Series	16
TVF Series Cameras Mounting Accessories	16
TruVision IP Licence Plate Cameras	17
TruVision IP PTZ M & P Series Speeddome Cameras	18
TruVision IP PTZ M & P Series Speeddome Cameras	19
TruVision PTZ Speeddome keypads	19
TruVision TVN-12 Video Kits	20
TruVision TVN-12 Video Kits	21
TruVision TVN-12 Video Kits	22
TruVision TVN12 IP Network Recorders	23
TruVision TVN-23xxS IP Recorders	24
TruVision TVN-23xx IP Recorders	25
TruVision TVN-23xxP IP Recorders	26
Comparison table Network Video Recorders	27
Comparison table Network Video Recorders	28
TruVision Led monitors	29
Led Monitors	29
Analog HD-TVI video solutions	30
TruVision Analog HD/4K Cameras	30
TruVision Analog HD PTZ SpeedDome cameras	31
TruVision TVR-17 4K Hybrid HD Recorders	32
Specifications table TVR-17 4K Hybrid Recorders	33
Specifications table TVR-17 4K Hybrid Recorders	34
Switches-Encoder Decoder-Converters	35
IP network transmission communication, media converters	35
IP network transmission communication, accessories	36
TruVision IP Encoders and Decoder	37
IP network transmission communication equipment, switches	38
IP network transmission power over ethernet (PoE) & power over coax (POC)	39
Video integration overview	40
TruVision cameras: new naming structure	41

What matters to us

Because **Quality** matters

Test standards that exceed standard practices.
We can be relied on.




Recorder testing

Hardware regression testing is required prior to first hardware approval after 3 months of recorder run-time and then an additional 3 months of testing is done to confirm initial test performance.

24-hr camera burn-in

All cameras require an industry-leading 24-hour production burn-in at the factory to ensure reliable operation in the field.



Local project assistance

Our field sales engineers and pre-sales support teams can provide free project consultation to ensure selection of the best video solution to meet your specific needs while staying within budget.

Because **Privacy** matters

Test standards that exceed standard practices.
We can be relied on.

Respect of Privacy

Products follow a clear path of steps to ensure private data is safe




Security vulnerability

Products are put through stringent security testing

Why? To protect the integrity of your installed video network

How? By mitigating potential network vulnerability security breaches

TruVision software provides advanced video management capabilities within a streamlined, user-friendly interface. Compatible with Aritech TruVision brand cameras and recorders, TruVision Navigator is a unified security solution that's highly flexible and scalable. TVRMobile is an app for iOS and Android devices that allows you to access the system and monitor your facilities even while you're away.



TruVision Navigator

TruVision Navigator by Aritech brings together TruVision video and IFS® network switches into one unified interface. It's not only easy to install and use, but also offers greater scalability to accommodate future growth.

- Supports Analogue and HD-TV1 video through TruVision recorders.
- Supports H.264/H.265 IP video directly through TruVision cameras or recorders.
- Maps, multiple video viewing tabs and live alarm monitoring.
- Logical view in device tree and logical event filtering in notifier.
- Supports ZeroWire and XGen intrusion panel via LAN connection.
- IFS network switch integration for discovery, log in, configuration and monitoring.
- Scalable for stand-alone or larger commercial (SME) server/client applications.

TruVision Navigator Download Information

Available for download:

firesecurityproducts.com/en/products/video/video-software

TVRMobile App

Compatible with Apple® iOS and Android™ phones and tablets, TVRMobile allows users to access and monitor their TruVision video surveillance system from anywhere in the world.

- Real-time monitoring of analogue, HD-TV1 or H.264/H.265 IP video via TruVision recorders or directly from TruVision IP cameras.
- Send events from a TruVision device directly to your phone using push notifications.
- View 1, 4, 9 or 16 channels on either tablet or phone.
- Supports up to 100 devices.
- Record snapshots, live video, or recorded video directly to a mobile device and export using standard methods such as text, email, etc.
- Remote connection via Wi-Fi®, 3G, 4G or LTE network.
- Free downloads via iTunes® App Store or Android.


TVRMobile Download Information

Available for download:




Aritech VMS solutions

VMS TruVision Navigator



Advisor Advanced Pro App



Intrusion



ATS Advanced
3DES/AES encrypted



OH Connection

Direct link over IP between intrusion panel & video recorders

Software ATS8600

User-friendly **Management Software**, where video can be integrated with intrusion, fire and access control

UltraSync

Cloud Solution - VPN Encrypted - Secure IP Certificate EN50136

Video Surveillance



Wedge & Turret
Cameras



Bullets & 360°
Cameras



PTZ
Cameras



Full Color IP
Cameras




Thermal IP
Cameras



ANPR IP
Cameras

Aritech VMS solutions



Advantages

- Video on demand matrixing
- Logical views
- Synchronized and thumbnail search
- Tracking screen
- Plan management with camera and output control
- Alarm feedback
- IFS switch management
- Automatic recognition of devices on the network
- Load calculator (Flow & Disk Space)
- ANPR-cameras
- People Counting cameras
- Integrated website access
- Advanced replay management
- LDAP-integration
- End of installation report

IP

Cyber by Design

- Mac filtering
- Illegal connection lock
- Password management
- Filtering IP-adresses
- 802.1x
- Set up https
- Manageable ports

3rd party applications

- TruVision video products are supported in third-party software packages via native integration (SDK)
- TruVision cameras are ONVIF compliant and can be used with 3rd party recorders and VMS



TVN-12xx - IP - UltraSync - 4/8/16 Channels



TVR-17xx - Hybride - UltraSync - 4/8/16 Channels



TVN-23xx - IP - 8/16/32/64 Channels

IP converters



IP-encoders



IP-decoders




Switches








IFS switches for network communication

IP Network video solutions

TruVision IP M-Series Wedge Cameras

	Article	Camera							Objective					Connections			List price (€)		
		Megapixel	True WDR 120dB	True Day/Night	Motorized IR cut filter	SLL, Super Low Light	Video intelligence	Person Vehicle Classification	Lens (in mm)	IR Range	White housing	Black housing	IP67 (water and dust)	IK08 (Impact resistance)	POE 802.3af or 12Vdc	2-Way Audio + 3.5mm con.		Alarm In / Out	SD card slot
	TVGP-M01-0201-WED-G	2	•	•	•	•	•	•	2,8	30			•	•	•	•	•	•	205,11
	TVGP-M01-0401-WED-G	4	•	•	•	•	•	•	2,8	30			•	•	•	•	•	•	233,30
	TVGP-M01-0401-WED-W	4	•	•	•	•	•	•	2,8	30	•		•	•	•	•	•	•	233,30
	TVGP-M01-0401-WED-B	4	•	•	•	•	•	•	2,8	30		•	•	•	•	•	•	•	233,30

	Article	Description	List price (€)
	TVW-BB1	TruVision Wedge Camera back box	32,06
	DR-RWM-AD	TruVision Adapter plate DR wall mount bracket	9,16
	TVD-M2-WM	TruVision wall mount	40,88
	TVD-LWB-1	TruVision L-Shape bracket	23,82
	TVD-LWB-S	TruVision water shield for TVD-LWB wall bracket	15,49



New! For the right mounting accessories, visit our website nl.firesecurityproducts.com and Download the "Selection Guide" which is listed under Downloads for each camera model.

TruVision IP M-Series Dome Cameras














Article	Camera/Sensor							Objective					Connections				List price (€)	
	Megapixel	True WDR 120dB	True Day / Night	Motorized IR cut filter	SLL, Super Low Light	Video intelligence	Person Vehicle Classification	Focallength (mm)	Motorized Zoom Lens	IR Range	White housing	IP67 (water and dust)	IK10 (Impact resistance)	PoE Current	2-Way Audio + 3.5mm con.	Alarm In / Out		SD card slot
TVGP-M01-0201-DOM-G	2	120dB	•	•	•	•	•	2,8		30		•	•	802.3af (PoE)	•	•	•	170,33
TVGP-M01-0201-DOM-W	2	120dB	•	•	•	•	•	2,8		30	•	•	•	802.3af (PoE)	•	•	•	170,33
TVGP-M01-0401-DOM-G	4	120dB	•	•	•	•	•	2,8		30		•	•	802.3af (PoE)	•	•	•	190,69
TVGP-M01-0401-DOM-W	4	120dB	•	•	•	•	•	2,8		30	•	•	•	802.3af (PoE)	•	•	•	190,69
TVGP-M01-0801-DOM-G	8	120dB	•	•	•	•	•	2,8		30		•	•	802.3af (PoE)	•	•	•	256,98
TVGP-M01-0801-DOM-W	8	120dB	•	•	•	•	•	2,8		30	•	•	•	802.3af (PoE)	•	•	•	256,98
TVGP-M01-0202-DOM-G	2	120dB	•	•	•	•	•	2,8-12	•	40		•	•	802.3af (PoE)	•	•	•	366,51
TVGP-M01-0202-DOM-W	2	120dB	•	•	•	•	•	2,8-12	•	40	•	•	•	802.3af (PoE)	•	•	•	366,51
TVGP-M01-0402-DOM-G	4	120dB	•	•	•	•	•	2,8-12	•	40		•	•	802.3af (PoE)	•	•	•	402,32
TVGP-M01-0402-DOM-W	4	120dB	•	•	•	•	•	2,8-12	•	40	•	•	•	802.3af (PoE)	•	•	•	402,32
TVGP-M01-0802-DOM-G	8	120dB	•	•	•	•	•	2,8-12	•	40		•	•	802.3af (PoE)	•	•	•	485,81
TVGP-M01-0802-DOM-W	8	120dB	•	•	•	•	•	2,8-12	•	40	•	•	•	802.3af (PoE)	•	•	•	485,81



New! For the right mounting accessories, visit our website nl.firesecurityproducts.com and Download the "Selection Guide" which is listed under Downloads for each camera model.

	Article	Description	List price (€)
	TVD-CBW-CB-B	TruVision wall mount bracket and cup base for turret cameras with fixed lens, black.	41,00
	TVD-BB3A-B	TruVision angled back box for turret cameras with fixed lens, black.	31,80









TruVision IP Turret M-Series Cameras

	Article	Camera/Sensor							Objective					Connections			List price (€)			
		Megapixel	True WDR 120dB	True Day/Night	Motorized IR cut filter	SLL, Super Low Light	Video intelligence	Person Vehicle Classification	Focal length (mm)	Motorized Zoom Lens	IR Range	White housing	Black housing	IP67 (water and dust)	IK10 (Impact resistance)	PoE 802.3af or 12Vdc		2-Way Audio + 3.5mm con.	Alarm In / Out	SD card slot
	TVGP-M01-0201-TUR-G	2	•	•	•	•	•	•	2,8		30			•	•	•	•	•	•	170,62
	TVGP-M01-0201-TUR-W	2	•	•	•	•	•	•	2,8		30	•		•	•	•	•	•	•	170,62
	TVGP-M01-0201-TUR-B	2	•	•	•	•	•	•	2,8		30		•	•	•	•	•	•	•	170,62
	TVGP-M01-0401-TUR-G	4	•	•	•	•	•	•	2,8		30			•	•	•	•	•	•	185,36
	TVGP-M01-0401-TUR-W	4	•	•	•	•	•	•	2,8		30	•		•	•	•	•	•	•	185,36
	TVGP-M01-0401-TUR-B	8	•	•	•	•	•	•	2,8		30		•	•	•	•	•	•	•	185,36
	TVGP-M01-0801-TUR-G	8	•	•	•	•	•	•	2,8		30			•	•	•	•	•	•	256,98
	TVGP-M01-0202-TUR-G	2	•	•	•	•	•	•	2,8 - 12	•	40			•	•	•	•	•	•	345,46
	TVGP-M01-0402-TUR-G	4	•	•	•	•	•	•	2,8 - 12	•	40			•	•	•	•	•	•	372,85
	TVGP-M01-0402-TUR-W	4	•	•	•	•	•	•	2,8 - 12	•	40	•		•	•	•	•	•	•	372,85
	TVGP-M01-0802-TUR-G	8	•	•	•	•	•	•	2,8 - 12	•	40			•	•	•	•	•	•	476,78

New! For the right mounting accessories, visit our website nl.firesecurityproducts.com and Download the "Selection Guide" which is listed under Downloads for each camera model.

	Article	Description	List price (€)
	TVD-CBW-CB-B	TruVision wall mount bracket and cup base for turret cameras with fixed lens, black.	41,00
	TVD-BB3A-B	TruVision angled back box for turret cameras with fixed lens, black.	31,80

TruVision IP M-Series Bullet Cameras

	Article	Camera							Objective					Connections			List price (€)	
		Megapixel	True WDR	True Day/Night	Motorized IR cut filter	SLL, Super Low Light	Video intelligence	Person Vehicle Classification	Focal length (mm)	Motorized Zoom Lens	IR Range	IP67 (water and dust)	IK10 (Impact resistance)	PoE Current	2-Way Audio + 3.5mm con.	Alarm In / Out		SD card slot
	TVGP-M01-0201-BUL-G	2	120dB	•	•	•	•	•	4,0		40	•	•	802.3af (PoE)	•	•	•	157,64
	TVGP-M01-0401-BUL-G	4	120dB	•	•	•	•	•	4,0		40	•	•	802.3af (PoE)	•	•	•	170,39
	TVGP-M01-0401-BUL-B	4	120dB	•	•	•	•	•	4,0		40	•	•	802.3af (PoE)	•	•	•	175,66
	TVGP-M01-0801-BUL-G	8	120dB	•	•	•	•	•	4,0		40	•	•	802.3af (PoE)	•	•	•	256,97
	TVGP-M01-0202-BUL-G	2	120dB	•	•	•	•	•	2,8-12	•	60	•	•	802.3af (PoE)	•	•	•	362,30
	TVGP-M01-0402-BUL-G	4	120dB	•	•	•	•	•	2,8-12	•	60	•	•	802.3af (PoE)	•	•	•	402,32
	TVGP-M01-0402-BUL-B	4	120dB	•	•	•	•	•	2,8-12	•	60	•	•	802.3af (PoE)	•	•	•	414,76
	TVGP-M01-0802-BUL-G	8	120dB	•	•	•	•	•	2,8-12	•	60	•	•	802.3af (PoE)	•	•	•	485,81
	TVB-BB1-B	TruVision bullet camera back box, black (for use with fixed lens bullet, black)															21,00	
	TVD-M-PMA-SS-B	TruVision Pole Mount Adaptor, stainless steel, black															49,60	
	TVD-M-CMA-SS-B	TruVision Corner Mount Adaptor, stainless steel, black															89,60	

New! For the right mounting accessories, visit our website nl.firesecurityproducts.com and Download the "Selection Guide" which is listed under Downloads for each camera model.

TruVision IP Full Color M-Series Cameras

Article	Camera/Sensor						Objective					Connections					List price (€)		
	Megapixel	True WDR 130dB	True Day / Night	SLL, Super Low Light	Video intelligence	Person Vehicle Classification	Focal length (mm)	Motorized Zoom Lens	White light	Alarm Stroboscoop light	IP67 (water and dust)	IK10 (Impact resistance)	PoE 802.3af or 12Vdc	Built-in microphone	Built-in speaker	2-Way Audio		Alarm In / Out	SD card slot
TVFC-M01-0401-BUL-G	4	•	•	•	•	•	2,8		40m		•		•	•				•	273,54
TVFC-M01-0402-BUL-G	4	•	•	•	•	•	2,8		60m	•	•		•	•		•	•	•	370,54
TVFC-M01-0403-BUL-G	4	•	•	•	•	•	2,8-12	•	60m		•		•			•	•	•	552,90
TVFC-M01-0802-BUL-G	8	•	•	•	•	•	2,8		60m	•	•		•	•	•	•	•	•	572,30
TVFC-M01-0401-DOM-G	4	•	•	•	•	•	2,8				•		•	•		•	•	•	314,28
TVFC-M01-0402-DOM-G	4	•	•	•	•	•	2,8		30m		•	•	•	•		•	•	•	314,28
TVFC-M01-0403-DOM-G	4	•	•	•	•	•	2,8-12	•	40m		•	•	•			•	•	•	556,78
TVFC-M01-0401-TUR-G	4	•	•	•	•	•	2,8		30m		•		•	•				•	308,46
TVFC-M01-0402-TUR-G	4	•	•	•	•	•	2,8		30m	•	•		•	•	•	•	•	•	318,16
TVFC-M01-0802-TUR-G	8	•	•	•	•	•	2,8		30m	•	•		•	•	•	•	•	•	483,06
TVFC-M01-0401-WED-G	4	•	•	•	•	•	2,8		30m		•	IK8	•	•		•	•	•	364,72
TVD-CB10	Cup Base																		25,60
TVB-BB2	Back box																		38,60











New! For the right mounting accessories, visit our website nl.firesecurityproducts.com and Download the "Selection Guide" which is listed under Downloads for each camera model.

TVFC-M01-0401-BUL-G		TVFC-M01-0401-TUR-G	
TVFC-M01-0402-BUL-G		TVFC-M01-0402-TUR-G	
TVFC-M01-0403-BUL-G		TVFC-M01-0802-TUR-G	
TVFC-M01-0802-BUL-G		TVFC-M01-0401-WED-G	
TVFC-M01-0401-DOM-G		TVD-CB10	
TVFC-M01-0402-DOM-G		TVB-BB2	
TVFC-M01-0403-DOM-G			

TruVision IP Dome & Bullet P-Series Cameras

Article	Camera/Sensor								Objective				Connections			List price (€)		
	Megapixel	True WDR 120dB	True Day / Night	Motorized IR cut filter	SLL, Super Low Light	Video intelligence	Person Vehicle Classification	Face Capture / People Management	Focal length (mm)	Motorized Zoom Lens	IR Range	IP67 (water and dust)	IK10 (impact resistance)	PoE Current	2-Way Audio + 3.5mm con.		Alarm In / Out	SD card slot
TVGP-P01-0403-DOM-G	4	120dB	•	•	•	•	•	•	2,7-13,5	•	50	•	•	802.3at (PoE+)	•	•	•	740,00
TVGP-P01-0803-DOM-G	8	120dB	•	•	•	•	•	•	2,7-13,5	•	40	•	•	802.3at (PoE+)	•	•	•	904,00
TVGP-P01-0401-DOM-G	4	140dB	•	•	•	•	•	•	2,8-12	•	40	•	•	802.3at (PoE+)	•	•	•	860,00
TVGP-P01-0402-DOM-G	4	140dB	•	•	•	•	•	•	8-32	•	50	•	•	802.3at (PoE+)	•	•	•	946,00
TVGP-P01-0801-DOM-G	8	120dB	•	•	•	•	•	•	2,8-12	•	40	•	•	802.3at (PoE+)	•	•	•	1130,00
TVGP-P01-0802-DOM-G	8	120dB	•	•	•	•	•	•	8-32	•	50	•	•	802.3at (PoE+)	•	•	•	1216,00
TVGP-P01-0401-BUL-G	4	140dB	•	•	•	•	•	•	2,8-12	•	60	•	•	802.3at (PoE+)	•	•	•	860,00
TVGP-P01-0402-BUL-G	4	140dB	•	•	•	•	•	•	8-32	•	80	•	•	802.3at (PoE+)	•	•	•	946,00
TVGP-P01-0801-BUL-G	8	120dB	•	•	•	•	•	•	2,8-12	•	60	•	•	802.3at (PoE+)	•	•	•	1.130,00
TVGP-P01-0802-BUL-G	8	120dB	•	•	•	•	•	•	8-32	•	80	•	•	802.3at (PoE+)	•	•	•	1.216,00

TVGP-P Series cameras feature a P-Iris lens that offers improvements in contrast, clarity, resolution and depth of field. P-Iris is designed to overcome the shortcomings of an auto-iris lens. A good depth of field where objects at different distances from the camera are in focus at the same time is a "must" in video surveillance. (E.g. a long corridor or parking lot). A P-Iris lens uses a motor to precisely control the position of the iris opening. Together with software configured to optimize the performance of the lens and image sensor, P-Iris automatically provides the best iris position for optimal image quality in all lighting conditions. In addition, the TVGP-P Series has extensive VCA intelligence and 4 Video streams, streams can be set to priority as desired! (e.g. on Frame rate or image quality) this can be very useful if e.g. the bandwidth of the network falls short. New! For the right mounting accessories, visit our website nl.firesecurityproducts.com and Download the "Selection Guide" which is listed under Downloads for each camera model.

TVGP-P01-0403-DOM-G		TVGP-P01-0802-DOM-G	
TVGP-P01-0803-DOM-G		TVGP-P01-0401-BUL-G	
TVGP-P01-0401-DOM-G		TVGP-P01-0402-BUL-G	
TVGP-P01-0402-DOM-G		TVGP-P01-0801-BUL-G	
TVGP-P01-0801-DOM-G		TVGP-P01-0802-BUL-G	

TruVision IP Thermal & Bispectral Cameras


Article	Camera								Objective							Connections				List price (€)			
	Megapixel	True WDR 120dB	True Day/Night	Motorized IR cut filter	SLL, Super Low Light	Video intelligence	Person Vehicle Classification	Temperature analysis	Focal length Optical camera (in mm)	Field of View Hor. (optical)	256x192 Resolution Thermal	Lens thermal camera (in mm)	Minimum focus distance (m)	IR Range	IP66 (water and dust)	IK10 (Impact resistance)	Visual alarm flash lamp	Play audio message	PoE 802.3af or 12Vdc		2-Way Audio + 3.5mm con.	Alarm In / Out	SD card slot
TVTH-S01-0001-BUL-G	4	•	•	•	•	•	•	4,3	50°	•	3,6	0,5	40	•	•	•	•	•	•	•	•	•	995,51
TVTH-S01-0002-BUL-G	4	•	•	•	•	•	•	6,4	25°	•	7	1,3	40	•	•	•	•	•	•	•	•	•	995,51
TVTH-S01-0003-BUL-G	4	•	•	•	•	•	•	8	18°	•	10	3,5	40	•	•	•	•	•	•	•	•	•	1.013,61
TVTH-S01-0001-TUR-G	4	•	•	•	•	•	•	2,2	90°	•	2	0,1	15	•	•	•	•	•	•	•	•	•	995,51
TVTH-S01-0002-TUR-G	4	•	•	•	•	•	•	4,3	50°	•	3,6	0,5	15	•	•	•	•	•	•	•	•	•	995,51
TVTH-S01-0003-TUR-G	4	•	•	•	•	•	•	6,4	25°	•	7	1,3	15	•	•	•	•	•	•	•	•	•	995,51



Accessories Bullet cameras		
Article	Description	List price (€)
Back box (included with camera)		
TVD-M-PMA-SS	Pole mount adapter	62,95
TVD-M-CMA	Corner mount adapter	28,02
Accessories Turret cameras		
TVD-BB3	Dome back box	23,82
TVD-M2-WM	Wall mount	40,88

New! For the right mounting accessories, visit our website nl.firesecurityproducts.com and Download the "Selection Guide" which is listed under Downloads for each camera model.

TruVision IP Thermal camera

	Article	Camera						Objective			Connections				List price (€)			
	TVTH-S01-0004-BUL-G	Uncooled sensor	384x288 resolution	640x512 resolution	H.264 / H.265	Video intelligence	Person Vehicle Classification	Temperature analysis	Focal length (mm)	Field of View 17° x 13°	Minimum focus distance (m)	POE+ (at)	Power supply 24Vac / 12Vdc	Audio in/out	Alarm in/out	IP66	SD card slot	3.948,09

Tips: Cameras come standard with back box.

New! For the right mounting accessories, visit our website nl.firesecurityproducts.com and Download the "Selection Guide" which is listed under Downloads for each camera model (Camera mounts tool V1.3.4_0).


For mast mounting use mast adapter TVD-M-PMA (€ 35,02), for corner mounting use corner adapter TVD-M-CMA (€ 20,00).

TruVision Wi-Fi cameras






	Article	Megapixel	True WDR	True Day/Night	Motorized IR cut filter	SLL, Super Low Light	Advanced Motion Detection	Focal length (mm)	IR Range	IP66 (water and dust)	Power	Wi-Fi	2-Way Audio	SD card slot	List price (€)
	TVUC-B01-0401-BUL-W	4	120 dB	•	•	•	•	2.8	30	•	12VDC included	Up to 120m	•	32GB included	218,00
	TVUC-B01-0401-DOM-W	4	120 dB	•	•	•	•	2.8	30	•	12VDC included	Up to 120m	•	32GB included	218,00

New! For the right mounting accessories, visit our website nl.firesecurityproducts.com and Download the "Selection Guide" which is listed under Downloads for each camera model.

TruVision IP 360° Cameras Series

	Article	Mounting			Camera				Immer Vision Objective		Features								List price (€)		
		Indoor	Indoor / Outdoor	Gray housing	True Day/Night	DWDR, CMOS 1/1.8"	Megapixel	H.264, H.265 Main stream	Focus length (mm)	Smart IR range (mtrs.)	PoE + / 12VDC 1A max.15W	Digital PTZ	2-Way Audio + 3.5mm connectors	Alarm In & Out max 24VDC 1A	Extensive Video analytics*	Smart retail analytics*	SD/SDHC slot	IK10 impact rating		IP67 Rating	
	TVPA-S01-0601-360-G	•		•	•	•	6	•	1,29	15	•	•	•	•	•	•	•	•	•	•	843,90
	TVPA-S01-1201-360-G	•		•	•	•	12	•	1,29	15	•	•	•	•	•	•	•	•	•	•	1.183,40
	TVPA-S01-0602-360-G		•	•	•	•	6	•	1,29	15	•	•	•	•	•	•	•	•	•	•	911,80
	TVPA-S01-1202-360-G		•	•	•	•	12	•	1,29	15	•	•	•	•	•	•	•	•	•	•	1.290,10

TVF Series Cameras Mounting Accessories

	Article	Description	List price (€)
	TVF-BBM	Round back box	19,63
	TVF-WBM	Round / angled back box	19,63
	TVF-CBM	Base adapter (Cup Base) for TVD-PPB (pendant) or TVD-SNB (swan neck)	23,09
	TVD-PPB	Pendant (tube length 53cm / mounting plate diameter 15cm)	55,33
	TVD-SNB	Swan neck	42,86

TruVision IP Licence Plate Cameras

Article	Camera										Objective				Connections			List price (€)				
	Megapixel	True WDR 120dB	True Day/Night	Motorized IR cut filter	SLL, Super Low Light	Video intelligence	Person Vehicle Classification	Wiegand Interface	Database 10.000 License Plates	Motorised Zoom Lens	Auto-iris P-iris Lens	Focal length Optical camera (in mm)	Field of View Horizontal	Field of View Vertical	IR Range	IP67 (water and dust)	IK10 (Impact resistance)		PoE 802.3af or 12Vdc	2-Way Audio + 3.5mm con.	Alarm In / Out	SD card slot
TVLP-S01-0401-BUL-G	4	•	•	•	•	•	•	•	2.8-12 mm	•	4,3	114.5° to 41.8°	59.3° to 23.6°	50	•	•	•	•	•	•	•	1.115,50
TVLP-S01-0402-BUL-G	4	•	•	•	•	•	•	•	8-32 mm	•	6,4	42.5° to 15.1°	23.3° to 8.64°	100	•	•	•	•	•	•	•	1.338,60




TVLP-S01-0401-BUL-G

TVLP-S01-0402-BUL-G

Accessories Bullet cameras		
Article	Description	List price (€)
Back box (included with camera)		
TVB-PM	Pole mount adapter	114,51
TVB-CM	Corner mount adapter	147,15

New! For the right mounting accessories, visit our website nl.firesecurityproducts.com and Download the "Selection Guide" which is listed under Downloads for each camera model.



TruVision IP PTZ M & P Series Speeddome Cameras

Article	Camera / Intelligence								Objective / PTZ Options								Connections				List price (€)					
	Megapixel	True WDR 120dB	True Day/Night	Motorized IR cut filter	SLL, Super Low Light	Video intelligence	Person Vehicle Classification	Face Capture	Intelligent Tracking	Motorized Zoom Lens (in mm)	Optical Zoom	IR / Smart IR Range M	300 Preset Positions	8 Preset Tours	Endless Pan	Auto flip	IP66 (water and dust)	12 VDC adapter included	24VAC	PoE 802.3af (PoE)		PoE 802.3at (PoE+)	PoE 802.3bt (Hi-PoE)	Audio in & out	Alarm In & Out	SD/SDHC slot
TVGP-M01-0201-PTZ-G	2	•	•	•	•	•	•	•		2,8-28	10	50	•	•			•	•		•			•	•	•	554,12
TVGP-M01-0402-PTZ-G	2	•	•	•	•	•	•	•		4,8-120	25	100	•	•	•	•	•	•		•			•	•	•	982,45
TVGP-M01-0401-PTZ-G	4	•	•	•	•	•	•	•		4,8-120	25	150	•	•	•	•	•	•		•			•	•	•	1.068,66
TVGP-M01-0403-PTZ-G	4	•	•	•	•	•	•	•		5,9-189	32	200	•	•	•	•	•	•		•			•	•	•	1.626,05




Tips:

The TVGP-M01-0201-PTZ-G comes with a 12 volt power supply.

The TVGP-M01-0401-PTZ-G, TVGP-M01-0402-PTZ-G and the TVGP-M01-0403-PTZ-G are supplied with Wall Mount.

A built-in bracket is available for the TVGP-M01-0402-PTZ-G, this is the TVP-FM-01.

24 Volt AC Power Supply 4 Amp, IP66 for Speeddome's this is the ATD-6814-PSU.











Article	Camera / Intelligence								Objective / PTZ Options								Connections				List price (€)				
	Megapixel	True WDR 120dB	True Day/Night	Motorized IR cut filter	SLL, Super Low Light	Video intelligence	Person Vehicle Classification	Face Capture	Face Recognition	Intelligent Tracking	Motorized Zoom Lens (in mm)	Optical Zoom	IR / Smart IR Range M	300 Preset Positions	8 Preset Tours	Endless Pan	Auto flip	IP66 (water and dust)	24VAC	PoE 802.3bt (Hi-PoE)		Audio in & out	Alarm In & Out	SD/SDHC slot	
TVGP-P01-0201-PTZ-G	2	•	•	•	•	•	•	•	•		5,9-148	25		•	•	•	•	•	•	•	•	•	•	•	1.882,68
TVGP-P01-0401-PTZ-G	4	•	•	•	•	•	•	•	•		4,8-120	42	400	•	•	•	•	•	•	•	•	•	•	•	3.003,48



All prices listed are gross unit prices, excluding VAT. Changes reserved.

For more info see our website: nl.firesecurityproducts.com / be.firesecurityproducts.com

TruVision IP PTZ M & P Series Speeddome Cameras

Compatible accessories for Speeddomes			
	Article	Description	List price (€)
	TVP-PMB-01	TruVision IP PTZ Pole Mount with Connection Box for P/M Series IP PTZ cameras	126,49
	TVP-CMB-01	TruVision IP PTZ Corner Mount with Connection Box for P/M Series IP PTZ cameras	126,49
	TVMI-WM	TruVision Multi-imager and P/M Series IP PTZ camera Wall Mount	98,06
	TVMI-PM	TruVision Pendant mount bracket, 57 mm / 2.24"	34,90
	TVMI-PM2	TruVision Pendant mount bracket, 200 mm / 7.87"	57,43
	TVMI-PM3	TruVision pendant mount bracket, 500 mm / 19.7"	76,66
	TVP-WM-CM	TruVision Corner mount: use in combination with TVMI-WM	119,08
	TVP-WM-PM	TruVision Pole mount: use in combination with TVMI-WM	119,08

TruVision PTZ Speeddome keypads

	Article	Description	List price (€)
	TVK-610	TruVision iP keypad with small display, joystick with 4 functions / axes. Communicates via iP or RS485. Controls TruVision recorders, decoders and iP/analog domes. (maximum 1000 devices)	928,83
	TVK-400-USB	USB keypad for TruVision Navigator 7.0 or higher. 3 axis joystick. Power supply via USB. (Only suitable for TruVision Navigator)	1502,96

TruVision TVN-12 Video Kits



Article	Description	List price (€)
TruVision 4-channel TVN-12 Video Kits with 2 cameras		
TVN1204-1T-K01-2B-G	TruVision Plug-And-Play Surveillance Bundle. Contains Compact 4-Channel TVN12 with 1TB and 2 Grey TVGP-M01-0401-BUL-G Bullet cameras	643,72
TVN1204-1T-K01-2T-B	TruVision Plug-And-Play Surveillance Bundle. Contains Compact 4-Channel TVN12 with 1TB and 2 Black TVGP-M01-0401-TUR-B Turret cameras	669,97
TVN1204-1T-K01-2T-G	TruVision Plug-And-Play Surveillance Bundle. Contains Compact 4-Channel TVN12 with 1TB and 2 Grey TVGP-M01-0401-TUR-G Turret cameras	669,97
TVN1204-1T-K01-2T-W	TruVision Plug-And-Play Surveillance Bundle. Contains Compact 4-Channel TVN12 with 1TB and 2 White TVGP-M01-0401-TUR-W Turret cameras	669,97
TVN1204-1T-K01-2W-B	TruVision Plug-And-Play Surveillance Bundle. Contains Compact 4-Channel TVN12 with 1TB and 2 Black TVGP-M01-0401-WED-B Wedge cameras	753,98
TVN1204-1T-K01-2W-G	TruVision Plug-And-Play Surveillance Bundle. Contains Compact 4-Channel TVN12 with 1TB and 2 Grey TVGP-M01-0401-WED-G Wedge cameras	753,98
TVN1204-1T-K01-2W-W	TruVision Plug-And-Play Surveillance Bundle. Contains Compact 4-Channel TVN12 with 1TB and 2 White TVGP-M01-0401-WED-W Wedge cameras	753,98
TVN1204-1T-K02-2B-G	TruVision Plug-And-Play Surveillance Bundle. Contains Compact 4-Channel TVN12 with 1TB and 2 Grey TVFC-M01-0401-BUL-G Bullet cameras	824,50
TVN1204-1T-K02-2T-G	TruVision Plug-And-Play Surveillance Bundle. Contains Compact 4-Channel TVN12 with 1TB and 2 Grey TVFC-M01-0401-TUR-G Turret cameras	885,70
TVN1204-1T-K02-2W-G	TruVision Plug-And-Play Surveillance Bundle. Contains Compact 4-Channel TVN12 with 1TB and 2 Grey TVFC-M01-0401-WED-G Wedge cameras	984,30

TruVision 4-channel TVN-12 Video Kits with PoE en 2 cameras		
TVN1204CS-1T-K01-2B-G	TruVision Plug-And-Play Surveillance Bundle. Contains Compact 4-Channel TVN12 PoE with 1TB and 2 Grey TVGP-M01-0401-BUL-G Bullet cameras	749,12
TVN1204CS-1T-K01-2T-B	TruVision Plug-And-Play Surveillance Bundle. Contains Compact 4-Channel TVN12 PoE with 1TB and 2 Black TVGP-M01-0401-TUR-B Turret cameras	775,37
TVN1204CS-1T-K01-2T-G	TruVision Plug-And-Play Surveillance Bundle. Contains Compact 4-Channel TVN12 PoE with 1TB and 2 Grey TVGP-M01-0401-TUR-G Turret cameras	775,37
TVN1204CS-1T-K01-2T-W	TruVision Plug-And-Play Surveillance Bundle. Contains Compact 4-Channel TVN12 PoE with 1TB and 2 White TVGP-M01-0401-TUR-W Turret cameras	775,37
TVN1204CS-1T-K01-2W-B	TruVision Plug-And-Play Surveillance Bundle. Contains Compact 4-Channel TVN12 PoE with 1TB and 2 Black TVGP-M01-0401-WED-B Wedge cameras	859,38
TVN1204CS-1T-K01-2W-G	TruVision Plug-And-Play Surveillance Bundle. Contains Compact 4-Channel TVN12 PoE with 1TB and 2 Grey TVGP-M01-0401-WED-G Wedge cameras	859,38

TruVision TVN-12 Video Kits



Article	Description	List price (€)
TVN1204CS-1T-K01-2W-W	TruVision Plug-And-Play Surveillance Bundle. Contains Compact 4-Channel TVN12 PoE with 1TB and 2 White TVGP-M01-0401-WED-W Wedge cameras	859,38
TVN1204CS-1T-K02-2B-G	TruVision Plug-And-Play Surveillance Bundle. Contains Compact 4-Channel TVN12 PoE with 1TB and 2 Grey TVFC-M01-0401-BUL-G Bullet cameras	929,90
TVN1204CS-1T-K02-2T-G	TruVision Plug-And-Play Surveillance Bundle. Contains Compact 4-Channel TVN12 PoE with 1TB and 2 Grey TVFC-M01-0401-TUR-G Turret cameras	991,10
TVN1204CS-1T-K02-2W-G	TruVision Plug-And-Play Surveillance Bundle. Contains Compact 4-Channel TVN12 PoE with 1TB and 2 Grey TVFC-M01-0401-WED-G Wedge cameras	1089,70

TruVision 8-channel TVN-12 Video Kits with 4 cameras		
TVN1208-2T-K01-4B-G	TruVision Plug-And-Play Surveillance Bundle. Contains 8-Channel TVN12 with 2TB and 4 Grey TVGP-M01-0401-BUL-G Bullet cameras	1122,54
TVN1208-2T-K01-4T-B	TruVision Plug-And-Play Surveillance Bundle. Contains 8-Channel TVN12 with 2TB and 4 Black TVGP-M01-0401-TUR-B Turret cameras	1175,04
TVN1208-2T-K01-4T-G	TruVision Plug-And-Play Surveillance Bundle. Contains 8-Channel TVN12 with 2TB and 4 Grey TVGP-M01-0401-TUR-G Turret cameras	1175,04
TVN1208-2T-K01-4T-W	TruVision Plug-And-Play Surveillance Bundle. Contains 8-Channel TVN12 with 2TB and 4 White TVGP-M01-0401-TUR-W Turret cameras	1175,04
TVN1208-2T-K01-4W-B	TruVision Plug-And-Play Surveillance Bundle. Contains 8-Channel TVN12 with 2TB and 4 Black TVGP-M01-0401-WED-B Wedge cameras	1343,07
TVN1208-2T-K01-4W-G	TruVision Plug-And-Play Surveillance Bundle. Contains 8-Channel TVN12 with 2TB and 4 Grey TVGP-M01-0401-WED-G Wedge cameras	1343,07
TVN1208-2T-K01-4W-W	TruVision Plug-And-Play Surveillance Bundle. Contains 8-Channel TVN12 with 2TB and 4 White TVGP-M01-0401-WED-W Wedge cameras	1343,07
TVN1208-2T-K02-4B-G	TruVision Plug-And-Play Surveillance Bundle. Contains 8-Channel TVN12 with 2TB and 4 Grey TVFC-M01-0401-BUL-G Bullet cameras	1484,10
TVN1208-2T-K02-4T-G	TruVision Plug-And-Play Surveillance Bundle. Contains 8-Channel TVN12 with 2TB and 4 Grey TVFC-M01-0401-TUR-G Turret cameras	1606,50
TVN1208-2T-K02-4W-G	TruVision Plug-And-Play Surveillance Bundle. Contains 8-Channel TVN12 with 2TB and 4 Grey TVFC-M01-0401-WED-G Wedge cameras	1803,70

TruVision TVN-12 Video Kits



Article	Description	List price (€)
	TruVision 8-channel TVN-12 Video Kits with PoE en 4 cameras	
TVN1208S-2T-K01-4B-G	TruVision Plug-And-Play Surveillance Bundle. Contains 8-Channel TVN12 PoE with 2TB and 4 Grey TVGP-M01-0401-BUL-G Bullet cameras	1311,24
TVN1208S-2T-K01-4T-B	TruVision Plug-And-Play Surveillance Bundle. Contains 8-Channel TVN12 PoE with 2TB and 4 Black TVGP-M01-0401-TUR-B Turret cameras	1363,74
TVN1208S-2T-K01-4T-G	TruVision Plug-And-Play Surveillance Bundle. Contains 8-Channel TVN12 PoE with 2TB and 4 Grey TVGP-M01-0401-TUR-G Turret cameras	1363,74
TVN1208S-2T-K01-4T-W	TruVision Plug-And-Play Surveillance Bundle. Contains 8-Channel TVN12 PoE with 2TB and 4 White TVGP-M01-0401-TUR-W Turret cameras	1363,74
TVN1208S-2T-K01-4W-B	TruVision Plug-And-Play Surveillance Bundle. Contains 8-Channel TVN12 PoE with 2TB and 4 Black TVGP-M01-0401-WED-B Wedge cameras	1531,77
TVN1208S-2T-K01-4W-G	TruVision Plug-And-Play Surveillance Bundle. Contains 8-Channel TVN12 PoE with 2TB and 4 Grey TVGP-M01-0401-WED-G Wedge cameras	1531,77
TVN1208S-2T-K01-4W-W	TruVision Plug-And-Play Surveillance Bundle. Contains 8-Channel TVN12 PoE with 2TB and 4 White TVGP-M01-0401-WED-W Wedge cameras	1531,77
TVN1208S-2T-K02-4B-G	TruVision Plug-And-Play Surveillance Bundle. Contains 8-Channel TVN12 PoE with 2TB and 4 Grey TVFC-M01-0401-BUL-G Bullet cameras	1672,80
TVN1208S-2T-K02-4T-G	TruVision Plug-And-Play Surveillance Bundle. Contains 8-Channel TVN12 PoE with 2TB and 4 Grey TVFC-M01-0401-TUR-G Turret cameras	1795,20
TVN1208S-2T-K02-4W-G	TruVision Plug-And-Play Surveillance Bundle. Contains 8-Channel TVN12 PoE with 2TB and 4 Grey TVFC-M01-0401-WED-G Wedge cameras	1992,40

TruVision TVN12 IP Network Recorders



Selection							
# Video inputs	Compact model	Hard disk capacity (Tbytes)	PoE switch (channels)	POE/POE+ budget (Watt)	VGA en HDMI uitgang	Article	List price (€)
4	Yes	1			Yes	TVN-1204c-1T	393,82
	Yes	2			Yes	TVN-1204c-2T	471,42
	Yes	1	4	50	Yes	TVN-1204cS-1T	514,10
	Yes	2	4	50	Yes	TVN-1204cS-2T	591,70
8	No	2			Yes	TVN-1208-2T	599,46
	No	4			Yes	TVN-1208-4T	900,16
	No	2	8	80	Yes	TVN-1208S-2T	814,80
	No	4	8	80	Yes	TVN-1208S-4T	1.115,50
16	No	2			Yes	TVN-1216-2T	665,42
	No	4			Yes	TVN-1216-4T	960,30
	No	6			Yes	TVN-1216-6T	1.251,30
	No	2	16	150	Yes	TVN-1216S-2T	880,76
	No	4	16	150	Yes	TVN-1216S-4T	1.175,64
	No	6	16	150	Yes	TVN-1216S-6T	1.466,64

Separate spare power supplies

Spare power supply TVN-1204c and TVR-1704c recorders 12VDC/1.35A	TVN-PSU-1-EU	29,00
Spare power supply TVN-1208, TVN-1216 and TVR-1708 recorder 12VDC/3.33A	TVN-PSU-2	47,00
Spare power supply TVN-1204cS recorder 48VDC/1.35A	TVN-PSU-POE-1	49,00
Spare power supply TVN-1208S recorder 48VDC/2.5A	TVN-PSU-POE-2	110,00

P.S TVN-1216S (with PoE) has a built-in power supply!

TVN-12 Recorder with UltraSync cloud integration, so no more port forwarding required! Register via QR code in the UltraSync Portal and easily add users. Then use the Advisor Advanced Pro App to connect to the recorder via UltraSync, the same app that is also used for the ATS Advanced panels! (TVR Mobile app is also supported) Various models available, 4, 8 & 16 channel recorders with or without PoE.

Tip: See page 21 for more specific features.

TruVision TVN-23xxS IP Recorders



Selection							
# Video inputs	Internal Hard disk capacity (TBytes)	Low model for 4 HDDs	Internal POE switch (channels)	POE Budget (Watts) Full flex	VGA /HDMI and CVBS output	Article	List price (€)
8	2	Yes	8	150	Yes	TVN-2308S-2T	€ 1.240,00
	4	Yes	8	150	Yes	TVN-2308S-4T	€ 1.364,00
	6	Yes	8	150	Yes	TVN-2308S-6T	€ 1.532,00
	8	Yes	8	150	Yes	TVN-2308S-8T	€ 1.710,00
16	4	Yes	16	200	Yes	TVN-2316S-4T	€ 1.614,00
	6	Yes	16	200	Yes	TVN-2316S-6T	€ 1.782,00
	8	Yes	16	200	Yes	TVN-2316S-8T	€ 1.960,00
	12	Yes	16	200	Yes	TVN-2316S-12T	€ 2.274,00
	16	Yes	16	200	Yes	TVN-2316S-16T	€ 2.630,00

HDD extension set, 2TB	TVN-HDD-2TB	232,00
HDD extension set, 4TB	TVN-HDD-4TB-2	324,00
HDD extension set, 6TB	TVN-HDD-6TB-3	492,00
HDD extension set, 8TB	TVN-HDD-8TB-2	670,00

Tip! Download our (Free) powerful TruVision VMS software “TruVision Navigator” on our website www.firesecurityproducts.com

More info: On page 20 more features. TruVision Mobile app available for: IOS and Android.

TruVision TVN-23xx IP Recorders



Selection							
# Video inputs	Internal Hard disk capacity (TBytes)	Low model for 4 HDDs	Audio recording	Alarm Inputs and Outputs	VGA/HDMI and CVBS output	Article	List price (€)
16	4	Yes	Yes	Yes	Yes	TVN-2316-4T	1344,00
	6	Yes	Yes	Yes	Yes	TVN-2316-6T	1512,00
	8	Yes	Yes	Yes	Yes	TVN-2316-8T	1690,00
	12	Yes	Yes	Yes	Yes	TVN-2316-12T	2004,00
	16	Yes	Yes	Yes	Yes	TVN-2316-16T	2360,00
	2	Yes	Yes	Yes	Yes	TVN-2216-2T	1252,40
	4	Yes	Yes	Yes	Yes	TVN-2216-4T	1459,40
	8	Yes	Yes	Yes	Yes	TVN-2216-8T	1873,42
32	8	Yes	Yes	Yes	Yes	TVN-2332-8T	1910,00
	12	Yes	Yes	Yes	Yes	TVN-2332-12T	2224,00
	16	Yes	Yes	Yes	Yes	TVN-2332-16T	2580,00
	18	Yes	Yes	Yes	Yes	TVN-2332-18T	2716,00
	24	Yes	Yes	Yes	Yes	TVN-2332-24T	3208,00
	32	Yes	Yes	Yes	Yes	TVN-2332-32T	3920,00
	2	Yes	Yes	Yes	Yes	TVN-2232-2T	1.428,33
	12	Yes	Yes	Yes	Yes	TVN-2232-12T	2.463,37

HDD extension set, 2TB	TVN-HDD-2TB	232,00
HDD extension set, 4TB	TVN-HDD-4TB-2	324,00
HDD extension set, 6TB	TVN-HDD-6TB-3	492,00
HDD extension set, 8TB	TVN-HDD-8TB-2	670,00

Tip! Download our (Free) powerful TruVision VMS software "TruVision Navigator" on our website www.firesecurityproducts.com

More info: On page 20 more features. TruVision Mobile app available for: IOS and Android.

TruVision TVN-23xxP IP Recorders



Selection						Article	List price (€)
# Video inputs	Hard disk capacity (TBytes)	RAID Redundant recording	2HE high model for 8 HDDs	Audio recording	VGA/HDMI 2x and CVBS output		
16	4	Yes	Yes	Yes	Yes	TVN-2316P-4T	1964,00
	6	Yes	Yes	Yes	Yes	TVN-2316P-6T	2132,00
	8	Yes	Yes	Yes	Yes	TVN-2316P-8T	2440,00
	12	Yes	Yes	Yes	Yes	TVN-2316P-12T	2612,00
	16	Yes	Yes	Yes	Yes	TVN-2316P-16T	2936,00
32	8	Yes	Yes	Yes	Yes	TVN-2332P-8T	3200,00
	12	Yes	Yes	Yes	Yes	TVN-2332P-12T	3372,00
	16	Yes	Yes	Yes	Yes	TVN-2332P-16T	3696,00
	18	Yes	Yes	Yes	Yes	TVN-2332P-18T	3876,00
	24	Yes	Yes	Yes	Yes	TVN-2332P-24T	4368,00
	32	Yes	Yes	Yes	Yes	TVN-2332P-32T	5080,00
64	16	Yes	Yes	Yes	Yes	TVN-2364P-16T	3896,00
	18	Yes	Yes	Yes	Yes	TVN-2364P-18T	4076,00
	24	Yes	Yes	Yes	Yes	TVN-2364P-24T	4568,00
	32	Yes	Yes	Yes	Yes	TVN-2364P-32T	5280,00
	36	Yes	Yes	Yes	Yes	TVN-2364P-36T	5552,00
	42	Yes	Yes	Yes	Yes	TVN-2364P-42T	6044,00
	48	Yes	Yes	Yes	Yes	TVN-2364P-48T	6536,00
	64	Yes	Yes	Yes	Yes	TVN-2364P-64T	7960,00
	80	Yes	Yes	Yes	Yes	TVN-2364P-80T	8840,00

HDD extension set, 2TB	TVN-HDD-2TB	232,00
HDD extension set, 4TB	TVN-HDD-4TB-2	324,00
HDD extension set, 6TB	TVN-HDD-6TB-3	492,00
HDD extension set, 8TB	TVN-HDD-8TB-2	670,00

Tip! Download our (Free) powerful TruVision VMS software "TruVision Navigator" on our website www.firesecurityproducts.com

More info: On page 20 more features. TruVision Mobile app available for: IOS and Android.

Comparison table Network Video Recorders



Characteristics	TVN-12xx(S)	TVN-23xxS	TVN-23xx	TVN-23xxP
Maximum number of IP cameras	4/8/16	8/16	8/16/32	16/32/64
Maximum camera resolution	8Mpx/4K	32Mpx	32Mpx	32Mpx
Total (BB) bandwidth (Mbps).	40/80/160	128/256	128/256/320	256/320/400
Total (BB) bandwidth (Mbps) out	80	256/256	256/256/400	256/400/400
max. outgoing live video streams	128	128	128	128
Maximum BB per channel (Mbps)	16	16	16	16
BB administration/management	Flexible	Flexible	Flexible	Flexible
Smart codec support	H.264/265/265+	H.264/264+/265/265+	H.264/264+/265/265+	H.264/264+/265/265+
Dual streaming support	Yes	Yes	Yes	Yes
Main and substream recording	No/Yes/Yes	Yes	Yes	Yes
V stream capability	Yes	Yes	Yes	Yes
Transcoding mode via web browser	No	Yes	Yes	Yes
Harddisk:				
max. internal HDD capacity (TB)	8	40	40	80
Max. storage capacity per disk	8TB	10TB	10TB	10TB
HDD expandable from the front	No	Yes	Yes	Yes
HDD redundancy mirror/RAID	No/No	Yes/No	Yes/No	Yes/Yes
eSATA support, external	No	Yes	Yes	Yes
ezDDNS	Yes	Yes	Yes	Yes
HDD health reporting	No	Yes	Yes	Yes
Hot Spare support	No	Extended	Extended	Extended
Features:				
OSD menu interface	Yes	Yes	Yes	Yes
Mouse control	Yes	Yes	Yes	Yes
Front PTZ control	No	No	No	No
Keypad support	Yes	Yes	Yes	Yes
User levels	Yes	Yes	Yes	Yes
Hidden camera function	Yes	Yes	Yes	Yes
AutoDiscovery Tool	Yes	Yes	Yes	Yes
Plug & Play IP configuration	Yes (S)	Yes	No	No
Video, Audio, Alarm, In & outputs:				
BNC monitor output	No	Yes	Yes	Yes
VGA monitor output	Yes	Yes	Yes	Yes, 2x
HDMI monitor output	Yes	Yes, 2x	Yes, 2x	Yes, 2x
HDMI 1 output resolution	HDMI: max. 4K	HDMI 1: max. 8K	HDMI 1: max. 8K	HDMI 1: max. 8K

Comparison table Network Video Recorders



Characteristics	TVN-12xx(S)	TVN-22xxS	TVN-22xx	TVN-22xxP	TVN-71xx
HDMI 2 output resolution	N/A	HDMI 2: max. 4K	HDMI 2: max. 4K	HDMI 2: max. 4K	HDMI 2: max. 4K
Monitor output independence	No	Yes (3)	Yes (3)	Yes (3)	Yes (3)
Spot monitor capability/function	No	Yes	Yes	Yes	Yes
Audio input(s)/output(s)	1/1	1/1	1/1	1/1	1/1
USB archiving/interface	Yes, 2x	Yes, 3x	Yes, 3x	Yes, 3x	Yes, 3x
Alarm inputs	4	16	16	16	16
Relay output	1	4	4	4	4

Network:

Network interface	1x 1Gbps	1x 1Gbps	2x 1Gbps	2x 1Gbps
Network redundancy	No	No	Yes	Yes
Power supply redundancy	No	No	No	No
Internal POE (af/at) switch (S version)	4/8/16	8/16	No	No
PoE budget (Watt) S version, flexible	50/80/150	150/200	No	No
Support for long and short distance PoE	Yes	Yes	Yes	Yes

Supports:

TVR Mobile APP/TV Navigator	Yes/Yes	Yes/Yes	Yes/Yes	Yes/Yes
ONVIF/RTSP client protocol	Yes	Yes/Yes	Yes	Yes
OH/IP intrusion panel integration	Yes	Yes	Yes	Yes
Plugin for non-IE browsers	Yes	Yes	Yes	Yes
Support for face capture	No	Yes	Yes	Yes
Separate recording schedule for snapshots	No	Yes	Yes	Yes
Simplified recording options	Yes	Yes	Yes	Yes
IP camera common password setting in the recorder for easy addition	Yes	Yes	Yes	Yes
People/vehicle event support (with supported TruVision cameras)	Yes	Yes	Yes	Yes
Smart report in OSD For heat mapping and counting	No	Yes	Yes	Yes
Disable Actions: Extended support to select individual action behavior	Yes	Yes	Yes	Yes
User management by non-admin user	No	Yes	Yes	Yes
2-user authentication for playback and backup	No	Yes	Yes	Yes
Support for enhanced (secure) SDK	Yes	Yes	Yes	Yes
SNMP v3	No	Yes	Yes	Yes

UltraSync:





UltraSync support	Yes	Yes	Yes	Yes
Remote recorder webpage access via UltraSync portal	Yes	Yes	Yes	Yes
Cloud FW upgrade	Yes	Yes	Yes	Yes
Admin password reset via UltraSync	Yes	Yes	Yes	Yes
Report system events to UltraSync and CMS	Yes	Yes	Yes	Yes

TruVision Led monitors

Led Monitors














Selection									Article	List price (€)
Screen size diagonal	Aspect ratio	Max Resolution	CVBS BNC input	VGA HDMI input	PC Stereo In	RCA Audio In	Audio Out	Speakers Built-in	Article	List price (€)
24"	16:09	Full HD	Yes	Yes	Yes	Yes	No	No	TVM-2403	480,00
24"	16:09	Full HD	No	Yes	Yes	No	No	No	TVM-2413	380,00
32"	16:09	Full HD	No	Yes	Yes	No	No	2 x 5W	TVM-3213	700,00
43"	16:09	Full HD	No	Yes	Yes	No	No	2 x 5W	TVM-4313	1100,00

Description		Article	List price (€)
Ceiling mount 79-129 cm, for 10" - 27", VESA black		FPMA-C100	126,26
Desk Mount (clamp) black 10"-26"		FPMA-D960	110,98
Wall bracket, fixed, for 10" - 30", VESA black		FPMA-W25	26,72
Wall mount, 3-axis, for 10" - 27", VESA silver		FPMA-W830	69,08
Wall mount, 3-axis, for 32" - 60", VESA black		LED-W560	147,06

Analog HD-TVI video solutions

TruVision Analog HD/4K Cameras

	Article	Camera/Sensor						Objective			Features						List price (€)
		Megapixel	True WDR	True Day/Night	Motorized IR cut filter	SLL, Super Low Light	Motion detection	Lens (in mm)	Varifocal Motorized lens	Smart IR range (mtrs.)	Power supply 12Vdc	Power supply 24Vac	BNC Video output, continuous	Menu setting via DVR	IP6x	IK xx impact resistance	
	TVT-6101	5	130dB	•	•	•	•	2,8		30	•	•	•	•	7	10	127,06
	TVT-6102	5	130dB	•	•	•	•	2,7-13,5	•	60	•	•	•	•	7	10	217,16
	TVD-6102	2	130dB	•	•	•	•	2,8		30	•		•	•	7	10	115,51
	TVD-6103	1	130dB	•	•	•	•	2,7-13,5	•	60	•	•	•	•	7	10	228,72
	TVD-6104	5	130dB	•	•	•	•	2,7-13,5	•	60	•	•	•	•	7	10	265,67
	TVD-6105	8/4K	130dB	•	•	•	•	2,7-13,5	•	60	•	•	•	•	7	10	297,02
	TVB-6102	2	130dB	•	•	•	•	3,6		30	•		•	•	7		101,65
	TVB-6103	2	130dB	•	•	•	•	2,7-13,5	•	80	•	•	•	•	7		219,47
	TVB-6104	5	130dB	•	•	•	•	3,6		30	•		•	•	7		113,20
	TVB-6105	5	130dB	•	•	•	•	2,7-13,5	•	80	•	•	•	•	7		235,64
	TVB-6106	8/4K	130dB	•	•	•	•	2,7-13,5	•	80	•	•	•	•	7		300,32

Tips:




TVB types for corner mounting, use corner adapter TVD-M-CMA 23.35

TVB-6101 / 3 / 5 & 6 are supplied with rear box as standard

TVB-6102 / 4 & 7 use rear box TVB-BB1 15.18 in combination with adapter plate TVB-2G-AD 17.51

New! For the right mounting accessories, visit our website nl.firesecurityproducts.com and Download the "Selection Guide" which is listed under Downloads for each camera model.

TruVision Analog HD PTZ SpeedDome cameras


Article	Article	Mounting		Camera/Sensor				Objective		Features								List price (€)		
		Pendant	Surface/Flush	1/2.8" CMOS, TRUE WDR	Tinted (smoke) dome	960H, 700TV lines	1080P via HD TVI	True day/night	Optical motor zoom lens	Focus length (mm)	Smart IR range, 150mtrs	Endless pan	Auto flip	Motion detection	Privacy masking	EIS (electr. image stabilization)	Impact resistant		IK10	IP66
	TVP-6101*	•		•	•	•	•	•	32	4,8-153		•	•	•	•	•	•	•	•	970,27
	TVP-6102**		•	•	•	•	•	•	32	4,8-153		•	•	•	•	•				970,27
	TVP-6103*	•		•	•	•	•	•	32	4,8-153	•	•	•	•	•	•				1.131,98



Hints PTZ Keypads see page 15.

* TVP-6101 and TVP-6103 must be equipped with support TVP-WMB € 151,76.

For PTZ supports and mounting adapters and other accessories, we refer to the "selection guide".

Recommended 24Vac/4A power supply ATD-6814-PSU see above!

	Article	Description	List price (€)
	ATD-6814-PSU	24 Volt AC Power supply 4 Amp, IP66 for Speeddomes, among others	166,32

	Article	Description	List price (€)
	TVK-600	TruVision iP keypad with small display, joystick with 4 functions / axes. Communicates via iP or RS485. Controls TruVision recorders, decoders and iP/analog domes. (maximum 1000 devices)	928,83
	TVK-400-USB	USB keypad for TruVision Navigator 7.0 or higher. 3 axis joystick. Power supply via USB. (Only suitable for TruVision Navigator)	1502,96

TruVision TVR-17 4K Hybrid HD Recorders



Article	Selection						List price (€)
	Video inputs	Compact model	Max 5 Mpx Recording for HD-TVI Cameras	8 Mpx 4K Recording for HD-TVI Cameras	8 Mpx 4K Recording for IP Cameras all channels	Hard disk capacity (Tbytes)	
TVR-1704c-1T	4	Yes	•		•	1	430,68
TVR-1704c-2T		Yes	•		•	2	430,68
TVR-1708-2T	8	No		•	•	2	770,18
TVR-1708-4T		No		•	•	4	1.041,78
TVR-1716-2T	16	No		•	•	2	1.177,58
TVR-1716-4T		No		•	•	4	1.449,18
TVR-1716-6T		No		•	•	6	1.619,90
TVR-1716-8T		No		•	•	8	1.891,50
TVR-1716-12T		No		•	•	12	2.434,70
TVR-1716-16T		No		•	•	16	2.977,90
TVN-PSU-1-EU	Spare power supply TVN-1204c and TVR-1704c recorders 12VDC/1.35A						29,00
TVN-PSU-2	Spare power supply TVN-1208, TVN-1216 and TVR-1708 recorder 12VDC/3.33A						47,00
TVN-PSU-3	Spare power supply TVR-1716						47,00

The TVR 17 series offers a hybrid solution in a compact design, the recorders are powerful, feature rich, very flexible and easy to use. The integration with the UltraSync cloud allows the TVR17 recorder to be accessed remotely via the TVRMobile app, offering access to all UltraSync features and upcoming add-ons. The TVR 17 series also offers plug-in-free browser support.

Using the open HD-TVI technology, the TVR-1708 & TVR-1716 models can connect via coaxial cable to any HD-TVI camera up to 8 Mpx 4K. (TVR-1704 max 5 Mpx !) In addition to HD-TVI, TVR-16 also connects standard analog cameras and you can reuse existing analog cameras that do not yet need to be replaced. Finally, the entire TVR 17 series is capable of connecting IP cameras up to 4K / 8 Mpx on all its channels, making this a true 4K HD Hybrid series. The TVR 17 can use H.264, H.265 or H.265+ encoding for analog, HD-TVI and IP cameras. HD-CVI and HD-AHD cameras are supported in H.264 encoding.

Tip! Download our powerful TruVision VMS software "TruVision Navigator v9.1" on our website www.firesecurityproducts.com (Free). More info: On page 20 more features. TruVision Mobile app available for: IOS and Android.

Specifications table TVR-17 4K Hybrid Recorders



Specifications	TVR-17
Maximum number of entries	4/8/16
Max. Analog/HD-TVI cameras	4/8/16
Max. IP cameras	4/8/16
Max. recording 1080P per channel	25 fps
Max. Mpx HD-TVI support	5Mpx/8Mpx/8Mpx
Max. Mpx IP support	8Mpx
Compression	H.264/H.265/H265+
Max. bandwidth (Mbps) combined in/out	96/128/128
Max. outgoing video streams	128
Dual streaming support live	•
Main and substream recording	•
V-stream capability	•
Max. internal HDD capacity (TB)	2/4/6
HDD expandability via front	
HDD redundancy mirror / RAID	•
Alarm input output(s)	4-1/8-4/16-4
Audio in-output(s)	4-1
Over-coax control	•
OSD menu interface	•
Key and mouse controls	•
Keypad support	•
Web browser interface	•
User levels	•
CVBS monitor output, BNC	•
Monitor VGA/HDMI output	•
Monitor output independent	Partly
Spot monitor capability/function	•
VCA for analog / IP cameras	Max 2 / All
USB archiving / interface	• / 2
DVD burner built-in	
ATM/POS text insert interface	
Upgrade via USB	•







Specifications table TVR-17 4K Hybrid Recorders



Specifications	TVR-17
Network interface	100Mbps 1xGbps 1x Gbps
eZDDNS	•
Support:	
OH / IP intrusion panel integration	•
TruVision Navigator	•
ATS8600	•
TVR mobile app IOS / Android	•
SDK available	• after DNA
IP camera ONVIF profile S	•
Dimensions (WxDxH) in mm.	385x315x52
4 ch. compact model	315x240x48

Switches-Encoder Decoder-Converters

IP network transmission communication, media converters

Article	Mounting			Ethernet			Performance		SFP Type				Power supply type, pg. 32	List price (€)
	DIN rail mounting	Wall mounting	MCR collection rack suitable	Fast, 100Mb	Gigabit, 1000Mb	Number of SFP	Standard 0 - +50 degrees	Industrial, -40 - +75 degrees	S20 series	S25 series	S30 series	S35 series		
Ethernet over fiber with SFP slot														
	MC250-1T/1S	•	•	•		1		•	•	•			6	164,57
	MC250-4T/2S	•	•	•		2		•	•	•			3	190,65
	MC252-4P/1S	•	•	•		1		•	•	•			4	448,82
	MC352-1P/1S	•	•	•	•	1		•	•	•	•	•	1	359,07
	MC352-4P-2S-V2	•	•	•	•	2		•	•	•	•	•	4	658,05
	MCR300-1T-1S-V2		•	•	•	1	•						1	103,43

Tips:

Media converters are supplied without power supply. See reference power supplies (1) to (8), see page. 35.



MCR type are suitable for 19" collection rack with power supply, see page. 34.

S20 > S35 type SFPs, see p. 35.


IP network transmission communication, accessories

	Article		List price (€)
	S20-2MLC-2	100Mb, MM/LC, 2 km	104,75
	S25-2MLC-2	100Mb, MM/LC, 2 km. High temp. range.	157,05
	S30-2MLC	1000Mb, MM/LC, 550 meters (50/125 OM2)	89,74
	S35-2MLC	1000Mb, MM/LC, 550 meters (50/125 OM2). High temp. range	153,98
	S30-2MLC-2	1000Mb, MM/LC, 2 km	104,75
	S40-2MLC	10G, MM/LC, 300 meters (OM3)	179,53
	S20-2SLC-20	100Mb, SM/LC, 20km	157,05
	S25-2SLC-20	100Mb, SM/LC, 20 km, High temp. range	179,53
	S30-2SLC-10	1000Mb, SM/LC, 10 km	110
	S35-2SLC-10	1000Mb, SM/LC, 10 km. High temp. range	179,53
	S40-2SLC-10	10G, SM/LC, 10km	329,1
	S30-RJ	1000Mb, with RJ connection	134,6
	MCR-R15	MCR collection rack for MCR modules with internal power supply, 15 slots	586,65
	MCR-RPS	MCR redundant power supply	269,27
Power supplies			
	PS5VDC2A-EU	5Vdc, 2A (1)	32,27
	PS48VDC.38A-EU	48Vdc/0.38A/18Watt (3)	32,27
	PS54VDC72W-EU	54Vdc/1.3A (4)	64,20
Special 48Vdc power supply for more power			
	PS48VDC100W-DIN	48Vdc 48Vdc/100W. DIN rail version (6)	117,28
	PS48VDC240W-DIN	48Vdc 48Vdc/240W. DIN rail version (7)	299,09
	PS48VDC480W-DIN	48Vdc 48Vdc/480W. DIN rail version (8)	747,69










TruVision IP Encoders and Decoder

	Article	Performance												List price (€)
	Encoders	Number of Analog inputs	960H or Max 5MPX with HD-TVI input	H.264 / H.265 stream	Dual streaming function	Audio input	Audio output	Alarm input	Alarm output	RS485 interface	SD card slot, lock. memory	POE	OnVIF / Profile SIA / CGI	
	TVE-120	1	•	•	•	1	1	1	1	•	•	•	•	250,07
	TVE-420	4	•	•	•	4	1	4	2	•	•	•	•	392,96
	TVE-RMB	19" Rack mounting bracket for TVE-120 & 420												78,64

Note: TVE-820 & TVE-1620 are supplied with 19" Rack mounting brackets




	Article	Decoder	List price (€)
	TVE-DEC12	IP decoder to BNC / VGA / HDMI output, Full HD. Display mode 1/2/4/9/16 Sequence up to 64 cameras. Bi-audio and RS485/232 interface. Supported by TruVision Navigator	975,28

IP network transmission communication equipment, switches



						Photo	Article	Listpreis (€)
Economic	Web Smart	PoE	8+2c port, Fast	8x PoE/4x PoE+ 125W		ES2402-8P-2C-V3	517,04	
			16+2c port, Fast	16x PoE/7x PoE+ 220W		ES2402-16P-2C-V3	752,06	
			24+2c port, Fast	24x PoE/12x PoE+ 380W		ES2402-24P-2C-V3	1057,59	
Desk basis / Backbone	Managed	PoE	8+2 port, Giga	8x POE/6x PoE+ 200W		NS3502-8P-2T-2S-V3	828,24	
			16+4 port, Giga	16x POE/12x PoE+ /6x POE-ultra 400W		NS3503-16P-4C-V2	EOL	
			24 port, Giga			NS3500-24T-4C-V2	568,13	
		PoE	24+4 port, Giga	24x PoE/12x PoE+ 380W		NS3702-24P-4S-V3	1363,11	
		24+4 port, 10G, LCD	24x PoE/13x PoE+ 400W		NS4702-24P-4X-V2	1.815,63		
		24+4+4 port, 10G, OPTICAL FIBER			NS4750-24S-4T-4X-V2	1563,29		

The V2 version switches above can be found on the network with TruVision Navigator 8 and higher and can be added to the device structure within TruVision Navigator. With these switches, TruVision Navigator can display port statistics, add names to cameras and switches, reset a PoE port (camera) and also restart the entire switch. See example!







IP network transmission power over ethernet (PoE) & power over coax (POC)

							Article	List price (€)
PoE injector / extender								
PoE injector				PoE-ultra, 60W	→ (4)		POE304-MS	156,63
Extender			max. 300m	Giga	→		POE302-EX	164,49
Network security								
Network cable surge protection							ESP-300	71,43

Tip: Media converters are supplied without power supply. See reference power supplies (1) to (8), see page. 35

	Photo	Article	List price (€)
1-Port IP over Coax Extender with PoE-AT (Camera End)		POC252-1CX-1P	292,24
1-Port IP over Coax Extender with PoE-AT (switch end)		POC252-1CXP-1T	292,24

Video integration overview

	Article	Software						Direct IP integration with intrusion panel
		TruVision Nav**	Advanced Pro App	Access via UltraSync	TVR Mobile App	ATS8600	MAS	
	Hardware							
	TruVision IP PTZ M&P Series	•	•		•	• via DVR/NVR	• via DVR/NVR	• via DVR/NVR
	TruVision S1,S2 & M01 serie	•	•		•	• via DVR/NVR	• via DVR/NVR	• via DVR/NVR
	TruVision S3, S5, S6 en S7 M & P serie	•	•		•	• via DVR/NVR	• via DVR/NVR	• via DVR/NVR
	TVN-12xx	•	•	•	•	•		•
	TVN-22xx	•			•	•	•	•
	TVN-23xx	•	•	•	•	In Test	•	•
	TVN-71xx	•			•	•		•
	TVR-17xx	•	•	•	•	•	•	•
	TVR-46xx	•			•	•		•

TruVision cameras: new naming structure



TV	GP	M	01	02	01	BUL	G
Fire TV TruVision UV UltraView AT Aritech	Classification GP Gen. Purpose TH Thermal PA Panoramic LP Licence Plate PC People Counting HD HD-TVI Cam	Serie Name M Mainstream P Premium S Specialty C Customized	Generation 01 02 03 04 05 06	Resolution 00 < 1MP 01 1MP 02 2MP 03 3MP 04 4MP 08 8MP 12 2MP	Variant 01 02 03 04 05 06	Form Factor BUL Bullet DOM Dome WED Wedge TUR Turret PTZ Pan/Tilt/Zoom BOX Box COV Covert DLC Dual Lens Cam 360 360° fish eye MIM Multi-Imager	Color G Grey B Black W White

The list of possibilities is not exhaustive and is for illustrative purpose only.

Why a new naming for TruVision cameras?

- Future proof** : it leaves more room for possible future products (examples are greyed out).
- Transparent** : this structure enables the identification of the camera while offering a logical sequence of characters.
- Consistent** : the series naming (example: the M Series) is also adapted accordingly for a comprehensive transition.

Old naming structure:

- S5 series TVD-5503
- S6 series TVT-5609H
- S7 series TVB-5714

PRO EXPRESS



For more explanation or a demonstration visit one of our three ProExpress shops in the BeneLux. Feel free to drop by or make an appointment with the ProExpress shop manager or your account manager.

Contact Information:

The Netherlands

Carrier Fire & Security BV

Sales Office (& Pro Express) Weert
Kelvinstraat 7
6003 DH Weert
Tel: +31 495 - 579 579
nl.firesecurityproducts.com
cs.nederland@carrier.com

Pro Express Capelle a/d IJssel
Rivium Westlaan 1
2909 LD Capelle a/d IJssel

Pro Express Amersfoort
Computerweg 20
3821 AB Amersfoort

Belgium & Luxembourg

Safety Solutions Belgium BV

Sales Office Brussel
Pegasus Park - De Kleetlaan, 3
1831 Diegem - Brussel
Tel: +32 2 715 89 30
be.firesecurityproducts.com
cs.belgium@carrier.com

Pro Express Roeselare
Zwaikomstraat, 20
8800 Roeselare

For technical questions, please email our service ticket system:

For the Netherlands: support.netherlands@carrier.com | For Belgium: support.belgium@carrier.com

Your question will be registered and follow-up is guaranteed.