



Increase your monitoring subscriptions






TAKINGSECURITYTOTHEHIGHESTLEVEL



NETWORK CHARACTERISTICS

- **XTUN**-servers terminate the connections from the alarm panel. They are responsible for providing network connectivity between end-user applications, such as Alarm delivery, Mobile Apps and configuration software and the alarm panel.
- CPROXY-servers terminate video streams from video cameras.
- API-servers allow third-party systems to manage alarm panel configuration and retrieve management information from devices.
- The WEB PORTAL is a user interface that allows installers to remotely manage the alarm control panels that they have access to.
- CS GATEWAY transmits alarm messages to the remote monitoring station.
- Messages from the alarm control panel are encapsulated in the XTUN protocol and transmitted to the central remote monitoring station via the CS GATEWAY.
- **END-TO-END**-message receipt acknowledgments enable reliable and highly secure alarm transmission.
- The UltraSync cloud platform and remote monitoring team are connected via IPSec-protocol.
- The standard **load balancing** IP configuration is used to distribute the production load and guarantee system redundancy.
- Remote configuration can be carried out via the web portal or configuration software.



BENEFITS

ULTRASYNC PORTAL FOR CENTRAL MONITORING STATIONS AND INSTALLERS



- Remote device management and diagnostics
- Communications management and diagnostics
- OTA firmware upgrade and programming*
- Secure architecture
- User and business management
- Service level configuration and management

*OTA (Over The Air) is a technology that allows remote access to data on a SIM card

ULTRASYNC+ APPLICATIONS (XGEN, ZEROWIRE, UCX40)*















*Using Z-Wave protocol via UltraSync+ apps

Live and recorded camera streams

Sensor status Arming/ Disarming Location services Notifications Se

Settings

ADVISOR ADVANCED PRO APPLICATIONS (ATSX500A)
















SECURITY AND COMPLIANCE



ISO 9001:2015 ISO/IEC 27001:2013 ISO/IEC 27017:2015 ISO/IEC 27018:2014



Solutions

Cloud host

Data

LIST OF MONITORING STATION SOFTWARE COMPATIBLE WITH ULTRASYNC*

Automation System	Manufacturer Website	Integration Mode	Signal Format	
AELETTRONICA	www.aelettronicagroup.com	SONICWALL	SurGard	
IORUS (Azur Soft) OSIRIS (Azur Soft)	www.azursoft.com	SSL / SONICWALL SurGard		
AM/Win	www.insocam.de	SSL / SONICWALL	SurGard	
ATRAQ	www.comon.com.au	SONICWALL	SurGard	
BOLD GEMINI	www.boldcommunications.co. uk	SONICWALL	SurGard	
BOLD MANITOU	www.boldgroup.com	SONICWALL	SurGard	
DL\$4000	www.atsonline.de SONICWALL		SurGard	
eLipse	www.logetel.fr	<u>w.logetel.fr</u> SSL SIA		
Entré	www.hantverksdata.se	SONICWALL	SurGard	
RIDAN	www.scutum-group.com	SONICWALL	SIA	
ESI (F1)	www.esifrance.net	SSL / SONICWALL	SIA DC09 /SurGard	
Facman	www.enai.eu	SONICWALL	SurGard	
nitsys Merlin	www.initsys.net	SONICWALL	SurGard	
nterVIEW / Innovative Security Manager (ISM)	www.innovative.dk	SONICWALL	SurGard	
istener	www.oryxsystems.co.za	SSL	SurGard	
MASterMind	www.masmonitoring.com	SSL / SONICWALL	SurGard	
SENTINEL	www.monitorsoft.com	SSL / SONICWALL	SurGard	
Osborne-Hoffman receiver	www.firesecurityproducts.com	SONICWALL	SurGard	
DVOST	www.ovost.nl	SSL	SurGard	
Patriot	www.patriotsystems.com	SONICWALL	SurGard	
nnovative Business Software (SBN)	www.ibsoft-us.com	SONICWALL	SurGard	
SCS – ASB Security	www.seconts.com	w.seconts.com SONICWALL		
SICEP	www.sicep.it	SONICWALL	Ademco685 / SurGard	
SGS (Stages)	www.secglobe.net	SONICWALL	SurGard	
JRMET (Ate Argo)	www.urmet-ate.it	SONICWALL	Ademco685	

^{*} UltraSync services are compatible with more than 30 automation software.

To see the updated complete list please visit https://firesecurityproducts.com/en/page/ultrasync-services

BENEFITS FOR CENTRAL MONITORING STATIONS

New Services

- Remote service activation
- Availability reports
- Diagnostics
- Remote connection to control panels for installers that do not have access to the central monitoring station's network
- Video verification solution*

Operations


- 24/7 network support
- Proactive SonicWall/SSL monitoring
- No major investment required (software or SonicWall receiver)
- · No public IP addresses
- Installers and end users can access the control panels outside of the central monitoring station network if needed

Business opportunities



- · Establish new connections
- · Generate recurring income
- Ensure integration with management systems and other automation software

GETTING STARTED—CREATE AN ACCOUNT



Why do we collect this data?

- · Simple, easily modified setup form
- Address used for sending the equipment
- Details of automation system used to prepare installation on portal
- Contact details collected for support purposes
- Teams carrying out 24/7 monitoring services review the details for contacting people as per the specified priorities



^{*} According to the product line

OUR PRODUCTS AND SOLUTIONS

Core



- IP connection only
- Free for a limited number of self-monitoring or remote-monitoring control panels
- Polling using basic and EN Grade 2 configuration
- · Device management
- Remote access
- Remote configuration (DLX900 and ATS85xx)
- Support for push notifications to smartphones

Enhance







- Aritech SIM included (up to 3 MB/month)
- For cellular and dual-path modes
- Self-monitoring and remote-monitoring modes
- Polling using basic and EN Grade 2 configuration
- Equipment management
- Remote access
- Remote configuration (DLX900 and ATS85xx)
- Support for push notifications to smartphones
- Cloud configuration (xGenConnect, ZeroWire, and UltraSync Communicators)

Elite







- Aritech SIM included (up to 15 MB/month)
- IP, cellular, and dual-path modes
- Polling using EN Grade 3 configuration
- Equipment management
- Remote access
- Remote configuration (DLX900 and ATS85xx)
- Support for push notifications to smartphones
- Cloud configuration (xGenConnect, ZeroWire, and UltraSync Communicators)
- Video alarm verification
- Diagnostic reporting



For more information, please don't hesitate to get in touch:

EMEA Headquarters

Carrier Fire & Security EMEA BV (Europe, Middle East & Africa)

Pegasus Park email :emea@carrier.com

De Kleetlaan 3 Tel: +32 2 725 11 20

1831 Diegem Fax: +32 2 721 40 47

Belgium Technical Support & Manuals
Training University

About Aritech

Aritech provides leading security and life-safety solutions for both commercial and residential applications covering intrusion, video, transmission and access. Offering some of the most-trusted product names in the industry, and backed by ongoing partner services and support, Aritech helps customers secure and protect what matters most. Aritech is a part of Carrier Global Corporation, a leading global provider of healthy, safe and sustainable building and cold chain solutions. For more information, visit aritech.com or follow us on LinkedIn @Aritech.

A network of approved demonstration and training centers



Contact:			

