

# CERTIFICATE

**No. 000270/01**

In accordance with the **CertAlarm** Rules  
and Certification System 5, as defined in ISO / IEC Guide 67,  
we **APPLUS** CB02 certify that the product

## **ZP2-A Series** **FIRE DETECTION AND ALARM SYSTEM – ZITON PROTOCOL**

is in conformity with the following standard(s)

**EN 54-13:2005**  
**EN 54-13:2017+A1:2019**  
Compatibility assessment of system components

**CARRIER FIRE & SECURITY B.V.**  
Kelvinstraat, 7 6003 DH Weert, The Netherlands

is authorised to use the CERTALARM Mark on the above-mentioned product.

This certificate is valid until:

**16<sup>th</sup> January 2027**

Signed on behalf of APPLUS CB02.

16<sup>th</sup> January 2023

  
**Applus<sup>+</sup>**  
LGAI Technological Center, S.A.

**Xavier Ruiz Peña**

**Product Conformity B.U., Managing Director**



[www.certalarm.org](http://www.certalarm.org)  
Registered in Brussels: CertAlarm AISBL, 1080 Brussels, Boulevard Edmond Machtens 180

This certificate and the annex(es) may only be copied completely and without any additions.



# CERTIFICATE

**No: 000270/01 - Annex No 1**

Takes into account the following product:

## **ZP2-A Series ZITON PROTOCOL FIRE DETECTION AND ALARM SYSTEM**

### **Variants:**

TYPE OF DEVICE	BRAND	MODEL	TYPE	EN 54 PART	FW VERSION
<b>Fire panels</b>					
Addressable fire panel	ZITON	ZP2-AF2-FB	1	EN54-2 EN54-4	V04.00.18 V04.00.22
Addressable fire panel	ZITON	ZP2-AF1-S	1	EN54-2 EN54-4	V04.00.18 V04.00.22
Addressable fire panel	ZITON	ZP2-AF1-FB-S	1	EN54-2 EN54-4	V04.00.18 V04.00.22
Addressable fire panel	ZITON	ZP2-AF2-S	1	EN54-2 EN54-4	V04.00.18 V04.00.22
Addressable fire panel	ZITON	ZP2-AF2-FB-S	1	EN54-2 EN54-4	V04.00.18 V04.00.22
Addressable fire panel	ZITON	ZP2-AFR-S	1	EN54-2 EN54-4	V04.00.18 V04.00.22
Addressable fire panel	ZITON	ZP2-AFR-FB-S	1	EN54-2 EN54-4	V04.00.18 V04.00.22
Addressable fire panel	ZITON	ZP2-AE1	1	EN54-2 EN54-4	V04.00.18 V04.00.22
Addressable fire panel	ZITON	ZP2-AF1	1	EN54-2 EN54-4	V04.00.18 V04.00.22
Addressable fire panel	ZITON	ZP2-AF1-FB	1	EN54-2 EN54-4	V04.00.18 V04.00.22
Addressable fire panel	ZITON	ZP2-AE2	1	EN54-2 EN54-4	V04.00.18 V04.00.22
Addressable fire panel	ZITON	ZP2-AF2	1	EN54-2 EN54-4	V04.00.18 V04.00.22
Addressable fire panel	ZITON	ZP2-AF2-K	1	EN54-2 EN54-4	V04.00.18 V04.00.22
Addressable fire panel	ZITON	ZP2-AF2-PRT	1	EN54-2 EN54-4	V04.00.18 V04.00.22
Addressable fire panel	ZITON	ZP2-AF2-FB-PRT	1	EN54-2 EN54-4	V04.00.18 V04.00.22
Addressable fire panel	ZITON	ZP2-AFR	1	EN54-2 EN54-4	V04.00.18 V04.00.22
Addressable fire panel	ZITON	ZP2-AFR-FB	1	EN54-2 EN54-4	V04.00.18 V04.00.22
Addressable fire panel	ZITON	ZP2-AF2-P	1	EN54-2 EN54-4	V04.00.18 V04.00.22
Addressable fire panel	ZITON	ZP2-AF2-PRT-P	1	EN54-2 EN54-4	V04.00.18 V04.00.22
Addressable fire panel	ZITON	ZP2-AF2-FB-P	1	EN54-2 EN54-4	V04.00.18 V04.00.22
Addressable fire panel	ZITON	ZP2-AF2-FB-PRT-P	1	EN54-2 EN54-4	V04.00.18 V04.00.22

[www.certalarm.org](http://www.certalarm.org)  
Registered in Brussels: CertAlarm AISBL, 1080 Brussels, Boulevard Edmond Machtens 180

This certificate and the annex(es) may only be copied completely and without any additions.

# CERTIFICATE

No: 000270/01 - Annex No 1

TYPE OF DEVICE	BRAND	MODEL	TYPE	EN 54 PART	FW VERSION
<b>Repeaters</b>					
Type of Device	Brand	Model	Type	EN54 Part	FW version
Addressable fire panel	Aritech	1X-F8	1	EN54-2 EN54-4	2.01.04
Addressable fire panel	Aritech	ZP2-F1	1	EN54-2 EN54-4	3.08.16
<b>Addressable detectors and compatible mounting bases</b>					
Type of Device	Brand	Model	Type	EN54 Part	FW version
Addressable reflective beam detector	Carrier/Ziton	FDR50-EZ	1	EN54-12	0765-01 Checksum 88C3
Addressable Heat Detector	Carrier/ZITON	ZP720-3P	1	EN54-5	---
Addressable optical smoke detector	Carrier/ZITON	ZP730-2P	1	EN54-7	---
Addressable Dual Detector (Optical & Heat)	Carrier/ZITON	ZP732-2P	1	EN54-5 EN54-7	---
Detector base with integrated isolation	Carrier/ZITON	ZP7-IB2-P OBS (2)	1	EN54-17	---
Addressable Dual Detector (Optical & Heat)	Carrier/ZITON	ZX832-3B	1	EN54-5 EN54-7	---
Addressable Dual Detector (Optical & Heat)	Carrier/ZITON	ZX832-3P	1	EN54-5 EN54-7	---
<b>Manual call points</b>					
Type of Device	Brand	Model	Type	EN54 Part	FW version
CL785-3 Flush Mount Addressable MCP w/ EN54 Marking (RED) /CLYMAC (ZP785-3)	CLYMAC/Ziton	CL785-3	1	EN54-11	---
Addressable Manual Call Point	Carrier/ZITON	ZP785-3	1	EN54-11	---
ZP785-3 Flush Mount Addressable MCP w/ EN54 Marking (RED) /CHUBB	Carrier/ZITON	ZP785-3S30	1	EN54-11	---
ZP785-3S-SW Surface Mount Addressable MCP w/ EN54 Marking (RED) w/ Hinged Cover	Carrier/ZITON	ZP785-3S-SW	1	EN54-11	---
Addressable Manual Call Point	Carrier/ZITON	ZP785-3WS	2	EN54-11	---
ZP785 Addressable MCP RED, 2-Pos. Key Switch, Surface Mount	Carrier/ZITON	ZP785KS-N	2	EN54-11	---
Addressable Manual Call Point	Carrier/ZITON	ZP787-3	1	EN54-11	---
Addressable Manual Call Point	KIDDE/Carrier	ZP885	1	EN54-11	PULSAR MCP FW PACKAGE
Intelligent Addressable Manual Call Point - Swedish Ziton (Red)	KIDDE/Carrier	ZP885S06	1	EN54-11	PULSAR MCP FW PACKAGE
Intelligent Addressable Manual Call Point - English Ziton (Red)	KIDDE/Carrier	ZP885S27	1	EN54-11	PULSAR MCP FW PACKAGE
Intelligent Addressable Manual Call Point - Chubb (Red)	KIDDE/Carrier	ZP885S30	1	EN54-11	PULSAR MCP FW PACKAGE
Intelligent Addressable Manual Call Point - Clymac (Red)	KIDDE/Carrier	ZP885SCL	1	EN54-11	PULSAR MCP FW PACKAGE

[www.certalarm.org](http://www.certalarm.org)

Registered in Brussels: CertAlarm AISBL, 1080 Brussels, Boulevard Edmond Machtens 180

This certificate and the annex(es) may only be copied completely and without any additions.



# CERTIFICATE

**No: 000270/01 - Annex No 1**

TYPE OF DEVICE	BRAND	MODEL	TYPE	EN 54 PART	FW VERSION
Intelligent Addressable Manual Call Point - Ziton (White)	KIDDE/Carrier	ZP885W	2	EN54-11	PULSAR MCP FW PACKAGE
Intelligent Addressable Manual Call Point - (Green)	KIDDE/Carrier	ZP886G	2	EN54-11	V1.02.03
Intelligent Addressable Manual Call Point - (Red)	Carrier/ZITON	ZP886R	1	EN54-11	V1.02.03
Intelligent Addressable Manual Call Point - Swedish (Red)	Carrier/ZITON	ZP886R-S06	1	EN54-11	V1.02.03
Intelligent Addressable Manual Call Point - English (Red)	Carrier/ZITON	ZP886R-S27	1	EN54-11	V1.02.03
Intelligent Addressable Manual Call Point - Chubb (Red)	Carrier/ZITON	ZP886R-S30	1	EN54-11	V1.02.03
Intelligent Addressable Manual Call Point - Clymac (Red)	Carrier/ZITON	ZP886R-SCL	1	EN54-11	V1.02.03
Intelligent Addressable Manual Call Point - (White)	Carrier/ZITON	ZP886W	2	EN54-11	V1.02.03
Addressable Manual Call Point	KIDDE/Carrier	ZP887	1	EN54-11	PULSAR MCP FW PACKAGE
Intelligent Addressable Manual Call Point - Weatherproof English Ziton (Red)	KIDDE/Carrier	ZP887S27	1	EN54-11	PULSAR MCP FW PACKAGE
Intelligent Addressable Manual Call Point - Weatherproof (Green)	KIDDE/Carrier	ZP888G	2	EN54-11	V1.02.03
Intelligent Addressable Manual Call Point - Weatherproof (Red)	Carrier/ZITON	ZP888R	1	EN54-11	V1.02.03
<b>Addressable notification devices</b>					
Type of Device	Brand	Model	Type	EN54 Part	FW version
Ceiling mount VAD	Carrier/ZITON	ZPC760W	1	EN54-23	VAD S/W
Wall mount VAD (white body, red flash)	Carrier/ZITON	ZPW760W	1	EN54-23	VAD S/W
<b>I/O modules</b>					
Type of Device	Brand	Model	Type	EN54 Part	FW version
Single Input Module	Carrier/Ziton	A45E-2	1	EN54-18	---
Line Relay Unit	Carrier/Ziton	A50E-2	1	EN54-18	---
High Voltage Relay Module	Carrier/Ziton	A51E-1	1	EN54-18	---
Line Isolator	Carrier/Ziton	A60E-2 OBS (1) OBS (2)	1	EN54-17	---
A70 CONVENTIONAL INTERFACE	Carrier/Ziton	A70E-2	1	EN54-18	---
<b>Sounders and beacons</b>					
Type of Device	Brand	Model	Type	EN54 Part	FW version
Addressable Base Sounder	Carrier/ZITON	ZP755B-2P	1	EN54-3	---
Addressable Base Sounder with Visual Indicator	Carrier/ZITON	ZP755BV-4P	1	EN54-3	---
Horn Sounder (Polar White)	Carrier/ZITON	ZP755HA-2P	1	EN54-3	---
Omni sounder RED	Carrier/ZITON	ZP755HA-2R	1	EN54-3	---
Horn Sounder w/ Visual Indicator (Polar White)	Carrier/ZITON	ZP755HAV-2P	1	EN54-3	---

[www.certalarm.org](http://www.certalarm.org)

Registered in Brussels: CertAlarm AISBL, 1080 Brussels, Boulevard Edmond Machtens 180

This certificate and the annex(es) may only be copied completely and without any additions.



# CERTIFICATE

**No: 000270/01 - Annex No 1**

TYPE OF DEVICE	BRAND	MODEL	TYPE	EN 54 PART	FW VERSION
Addressable Horn Sounder/Visual Indicator	Carrier/ZITON	ZP755HAV-2R	1	EN54-3	---
Addressable Room Sounder	Carrier/ZITON	ZP755R-2R	1	EN54-3	---
Weatherproof Sounder	Carrier/ZITON	ZP755W-2R	1	EN54-3	---
Addressable Weatherproof Sounder/Visual Indicator	Carrier/ZITON	ZP755WV-2R	1	EN54-3	---
Wall mount sounder/VAD	Carrier/ZITON	ZPW766R	1	EN54-3 & EN54-23	VAD S/W
Wall mount sounder/VAD	Carrier/ZITON	ZPW766W	1	EN54-3 & EN54-23	VAD S/W
Weatherproof Wall Mount Sounder/VAD	Carrier/ZITON	ZPW767R	1	EN54-3 & EN54-23	VAD S/W
<b>Addressable wireless devices</b>					
Type of Device	Brand	Model	Type	EN54 Part	FW version
Radio Loop Module	Carrier/ZITON	ZPR868	1	EN54-17/18/25	V3.11
Radio cluster communicator (RCC), mains powered	Carrier/ZITON	ZPR868-CM	1	EN54-18/25	V3.11
4-loop radio loop module (HUB)	Carrier/ZITON	ZPR868-H	1	EN54-17/18/25	V3.11
<b>Addressable type 2 devices</b>					
Type of Device	Brand	Model	Type	EN54 Part	FW version
Addressable Visual Indicator	Carrier/ZITON	ZP755V-P	2	EN54-23	---
ZP3-ECU Extinguishing Control	Carrier/ZITON	ZP-ECU OBS (1)	2	EN54-18	---

OBS (1): The equipments A60E-2 and ZP-ECU only complies partially the standard 54-13, between the working voltages range 18 to 20 V and 22 to 29 V respectively.

OBS (2): The devices ZP7-IB2-P and A60E-2 must be installation in different loops to complies compatibility of EN54-13.

## The optional features of the specifications that are included in the product and test report:

Fire detection and Fire Alarm System

Option with requirements evaluated as being compliant:

Clause 4 Requirements

Clause 5 Methods and evaluation tests

Appendix A FDAS Functions

Appendix B Classification of Functions FDAS

[www.certalarm.org](http://www.certalarm.org)  
Registered in Brussels: CertAlarm AISBL, 1080 Brussels, Boulevard Edmond Machtens 180

This certificate and the annex(es) may only be copied completely and without any additions.

# CERTIFICATE

No: 000270/01 - Annex No 2

**Test Report Number:**

22/36403503; 22/36403506

**Validity of Certificate:**

The Certificate remains valid based upon satisfactory annual factory production control audits and follow up re-testing every 2 years from Certificate issue

**Documents submitted:**

SOP000-00001 STRUCTURE OF QUALITY MANEGEMENT SYSTEM (QMS), WEERT, REV.C, 01/MAY-2018  
90-2002-102-0012-02, REV 02.00 MAR-2015

**DISCLAIMER**

This Certificate is for the exclusive use of Applus Client and is provided pursuant to the Certification agreement between Applus and its Client. Applus' responsibility and liability are limited to the terms and conditions of the agreement. Applus assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this certificate. Only the Client is authorized to permit copying or distribution of this certificate and then only in its entirety. Use of the CertAlarm Certification mark is restricted to the conditions laid out in the agreement. Any further use of the Applus name for the sale or advertisement of the tested material, product or service must first be approved in writing by Applus. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.